

SINTESIS DAN KARAKTERISASI NIKEL- METAL ORGANIC FRAMEWORKS-5

Nama : NIKMATIN SHOLICHAH
NRP : 1410 100 054
Jurusan : Kimia ITS
Dosen Pembimbing: Dra. Ratna Ediati, MS., Ph.D.

Abstrak

Ni-MOF-5 telah berhasil disintesis melalui metode solvotermal pada suhu 140 °C selama 12 jam. Perbandingan mmol Ni/Zn divariasi sebesar 0,05 dan 0,1 untuk mempelajari pengaruh doping Ni²⁺ terhadap struktur material MOF-5. Padatan dikarakterisasi dengan Difraksi Sinar-X (XRD), *Fourier Transform Infrared* (FTIR), *Scanning Electron Microscopy-Energy Dispersive X-Ray* (SEM-EDX), *Thermal Gravimetric Analysis* (TGA), dan Isoterm Adsorpsi-desorpsi N₂. Hasil XRD menunjukkan bahwa pola difraktogram Ni-MOF-5 sama dengan pola difraktogram MOF-5 hasil sintesis dan standart. Hasil foto SEM menunjukkan morfologi Ni-MOF-5 sama dengan morfologi MOF-5. Penambahan Ni²⁺ dapat meningkatkan nilai luas permukaan BET dan volume pori dari Ni-MOF-5 dibandingkan dengan MOF-5 tanpa doping Ni²⁺. Luas permukaan spesifik (S_{BET}) tertinggi dicapai oleh Ni-MOF-5 (0,1) sebesar, 17,592 m²/g dengan volume pori sebesar 0,0783 cc/g.

Kata kunci: *metal-organic framework, Ni-MOF-5, sintesis, solvotermal*

SYNTHESIS AND CHARACTERIZATION OF NICKEL-METAL ORGANIC FRAMEWORKS-5

Name : NIKMATIN SHOLICHAH
NRP : 1410 100 054
Department : Chemistry ITS
Supervisor : Dra. Ratna Ediati, MS., Ph.D.

Abstract

Ni-MOF-5s were successfully synthesized by solvothermal method at 140 °C for 12 hours. The mmol ratio of Ni/Zn were varied, i.e 0,05 and 0,1, in order to study the effect of Ni(II)-doped on the formation of MOF-5 materials. The materials were characterized using X-ray diffraction (XRD), fourier transform infrared (FTIR), scanning electron microscopy-energy dispersive X-ray (SEM-EDX), thermogravimetric analysis (TGA), and N₂ adsorption-desorption. The XRD patterns of the Ni-MOF-5 were similar to that of synthesized MOF-5 and standart. The SEM images showed that the morphology of Ni-MOF-5 was the same as MOF-5. The Ni-doped MOF-5 exhibited larger BET surface area and pore volume that of MOF-5. The highest BET surface area and pore volume of 17,592 m²/g and 0,0783 cc/g respectively, were archived by the Ni-MOF-5 (0,1).

Key Word: *metal-organic framework, Ni-MOF-5, synthesis, solvothermal*